

Attachment 1. Site Management and Access Restrictions Worksheet

ATTACHMENT 1.
SECTION A.

- ☐ Accept
☐ Reject
☐ See Comment

- ☐ Accept
☐ Reject
☐ See Comment

- ☐ Accept
☐ Reject
☐ See Comment
Attachment .1. A.2.

- ☐ Accept
☐ Reject
☐ See Comment
Attachment .1. A.2.

<ul style="list-style-type: none"> Describe how signs are posted around the application site during the time when access is restricted. Signs must be posted at all significant points of access, and otherwise around the perimeter so that they can be noticed and read by a reasonably observant person. This may be modified in an approved site specific land application plan under WAC 173-308-310 (6)(b). <p>3. <u>Content of Signs - Does the land application plan describe the text content of signs to meet the following information required in 173-308-275 WAC and how these signs will be posted including suitability of the materials to stand up to local climatic conditions?</u></p> <ul style="list-style-type: none"> the name and address or phone number of the generator and if different, the person who applies; the names, addresses, and phone numbers of the regulatory and permitting agencies; the material that is being applied (biosolids or a more detailed description); notice that access is restricted, and if desired, the date after which access is no longer restricted; and a notice on limitations regarding the harvest of edible plants from the site. With the consent of the Department, "no trespassing" signs may be substituted. <p>4. <u>Does the application assure that biosolids will not be applied to the land within one hundred feet of a well unless otherwise approved in a permit issued in accordance with the requirements of this chapter?</u></p> <p><u>B. Other Restriction to protect specific habit or endangered species</u> The following restriction apply to all Bulk Biosolids that do not meet Exceptional Quality Standards when they are applied to agricultural land, forestland, public contact sites, or land reclamation sites.</p> <p>1. <u>Does the land application plan describe which of the following restrictions apply and how the restriction will be met?</u></p> <ul style="list-style-type: none"> Bulk biosolids may not be applied to land that is ten meters or less from surface waters of the state, unless otherwise specified by the Department. Bulk biosolids may not be applied to the land so that they enter a wetland or waters of the state, unless approved in a permit issued by the Department or by EPA with the approval of the Department. Bulk biosolids may not be applied to the land if they are likely to adversely affect a threatened or endangered species listed under WAC 232-12-011 or 232-12-014 or its critical habitat. 	<div> <input type="checkbox"/> Accept <input type="checkbox"/> Reject <input type="checkbox"/> See Comment Attachment 1. A.3. </div> <div> <input type="checkbox"/> Accept <input type="checkbox"/> Reject <input type="checkbox"/> See Comment Attachment 1. A.4. </div> <div> <input type="checkbox"/> Accept <input type="checkbox"/> Reject <input type="checkbox"/> See Comment Attachment 1. B.1. </div>
---	---